

## Suicide Ranking as a Leading Cause of Death by Age for Idaho Residents 2003-2009

Year	Rank	10 - 14	15 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 74	75+ All Ages	
	(count)										
2003	3 (3)	2 (15)	2 (18)	2 (34)	3 (46)	5 (39)	8 (32)	10 (13)	18 (18)	9 (218)	
2004	2 (3) <sup>1</sup>	2 (15)	2 (17)	2 (32)	3 (56)	4 (50)	7 (32)	10 (17) <sup>2</sup>	17 (17)	8 (239)	
2005	2 (3)	2 (10)	2 (18)	2 (36)	4 (40)	4 (46)	7 (28)	11 (15)	16 (29)	9 (225)	
2006	3 (4)	2 (13)	2 (17)	2 (37)	2 (51)	4 (39)	8 (24)	11 (15)	17 (18)	9 (218)	
2007	0	2 (21)	2 (24)	2 (34)	4 (35)	4 (44)	7 (31)	10 (15)	17 (15)	9 (219)	
2008	3 (4)	2 (17)	2 (18)	2 (26)	4 (39)	4 (52)	6 (43)	11(21)	15 (31)	8 (251)	
2009	2 (4)	2 (10)	2 (22)	2 (37)	2 (67)	4 (76)	6 (50)	9 (21)	17 (20)	8 (307)	
2010*	2 (2)	2 (19)	2 (17)	2 (43)	2 (53)	4 (48)	6 (58)	9 (23)	16 (26)	8 (290)	
Total		23	120	151	279	387	394	298	140	174	1967

1. Intentional self-harm and Malignant neoplasms tie with 3 deaths per cause of death.

2. Intentional self-harm and Nephritis, nephrotic syndrome, nephrosis tie with 17 deaths each.

\* Total does not sum because one death did not fall within the listed age groups.

Source: Idaho Department of Health and Welfare, Bureau of Vital Records and Health Statistics (04/2010).

Number of Suicides by Age Group  
Idaho residents by Sex 2003-2010

